

Notice of Allowability

Application No.

10/753,092

Examiner

Richard L. Chiesa

Applicant(s)

GIBSON, PHILLIP GEORGE

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the preliminary amendment filed on January 7, 2004.
2. ☒ The allowed claim(s) is/are claims 1-19.
3. ☒ The drawings filed on 17 June 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 10/182,915.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

The paragraph under the paragraph heading "CROSS REFERENCE TO RELATED APPLICATIONS" on page 1 of the specification has been rewritten as follows:

-- This application is a continuation-in-part of U.S. Patent Application Serial No. 10/182,915, filed on October 1, 2002 and International Application No. PCT/GB01/00456, filed on February 5, 2001. This application claims priority of Great Britain Patent Application No. 0002679.9, filed on February 4, 2000. --

The word "forms" (page 3, line 9) has been changed to --forming--.

The phrase --, HEPA filter,-- has been inserted between "filter" and "or" (page 8, line 10) in order to provide proper antecedent basis for the subject matter recited in the second line of claim 17.

The phrase "(not show)" (page 8, line 15) has been changed to --(not shown)--.

The word --place-- has been inserted immediately after "cassette 22 in" at the end of line 28 on page 11.

The reference character "14'" (page 12, line 21) has been changed to --14-- in order to be consistent with Figure 4 of the new drawings filed on June 17, 2004.

The word “electrically” (page 13, line 13) has been changed to --electrical--.

The phrase “said a ultra violet” at the end of the third line of claim 2 has been changed to --said ultra violet-- in order to correct an obvious typographical and/or grammatical error.

EXAMINER’S STATEMENT OF REASONS FOR ALLOWANCE

2. The following is an examiner’s statement of reasons for allowance: The prior art fails to teach or fairly suggest the recited air purifier with the recited ventilation hood, ventilation duct, fan, ultraviolet radiation generating apparatus, first member or plurality of grease filters, ventilation hood inlet, and switch or switches in the recited positioning and operative relationship.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard L. Chiesa whose telephone number is (571) 272-1154.

If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, Duane S. Smith, can be reached at (571) 272-1166.

Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 1700 receptionist whose telephone number is (571) 272-0987.

Facsimile correspondence must be transmitted through (703) 872-9306.

Art Unit: 1724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Richard L. Chiesa
November 10, 2004

Richard L. Chiesa

**RICHARD L. CHIESA
PRIMARY EXAMINER
ART UNIT 1724**

Nov. 10, 2004